

DR.LAKSHMI ARUNACHALAM
222 Stanford Avenue, Menlo Park, CA 94025
TEL: (650) 690-0995
FAX: (650) 854-3393
Email: laks22002@yahoo.com
Pro Se Plaintiff

**IN THE UNITED STATES DISTRICT COURT
FOR THE NORTHERN DISTRICT OF CALIFORNIA**

DR. LAKSHMI ARUNACHALAM,

Plaintiff,

vs.

TRINET GROUP INC,

Defendant

Case No.: CV-15-0025-JCS

**AMENDED COMPLAINT FOR PATENT
INFRINGEMENT WITH CORRECTED
NAME OF DEFENDANT TO TRINET
GROUP INC.**

**DEMAND FOR JURY TRIAL
YES**

I. Parties in this Complaint:

a. Plaintiff.

DR. LAKSHMI ARUNACHALAM
222 Stanford Avenue, Menlo Park, CA 94025
TEL: (650) 690-0995 EMAIL: laks22002@yahoo.com

b. Defendant.

Defendant 1:

TRINET GROUP INC.,

1100 San Leandro Blvd, Suite 400

San Leandro, CA 94577

Tel: 510.352.5000

Plaintiff, DR. LAKSHMI ARUNACHALAM, alleges:

1. Plaintiff DR. LAKSHMI ARUNACHALAM, (hereinafter “Dr. Arunachalam”) is, and at all times herein mentioned was an individual residing at 222 Stanford Avenue, Menlo Park, CA 94025. Dr. Arunachalam is the inventor and assignee of the patent-in-suit.
2. On information and belief, Defendant, TRINET GROUP INC. (herein after “TNET”) is headquartered at 1100 San Leandro Blvd, Suite 400. San Leandro, CA 94577.

II. JURISDICTION AND VENUE

3. This is an action for patent infringement arising under the patent laws of the United States, Title 35 of the United States Code. This Court has subject matter jurisdiction pursuant to 28 U.S.C. §§ 1331 and 1338(a).
4. Plaintiff Dr. Lakshmi Arunachalam is, and at all times herein mentioned a California resident and an individual residing at 222 Stanford Avenue, Menlo Park, CA 94025 and the sole inventor and owner of a portfolio of early Internet patents (11 patents and 2 pending patent applications). These patents relate to real-time Web transactions from Web applications. Dr. Arunachalam’s patents and patented technology are horizontal patents that have been in use by large enterprises and mid-sized and small businesses, for example, Web banking

1 applications, online travel, online business applications on the Web, mobile applications, and
2 Web applications in all vertical markets. At all times relevant to this action, Dr.
3 Arunachalam has resided in California when she invented the inventions in her patents, when
4 she did experimentation to create prototypes of the patented technology, and installed it at
5 beta sites in California. She founded several start-ups and is an Internet pioneer in Silicon
6 Valley, California. She has been at the forefront of innovation in Silicon Valley. She
7 provided software solutions to complex business problems that needed a technological
8 solution and invented and developed Web applications such as Web banking and other
9 business Web applications, even prior to 1995, when one-way Web browsing was the norm
10 and sophisticated solutions like Web banking did not exist. At all times relevant to this
11 action, Dr. Arunachalam has resided in California and ran her companies and when she
12 invented and wrote her 13 patents and patent applications, raised venture capital, hired
13 employees, when she did experimentation to create prototypes of the patented technology,
14 and installed it at beta sites in California. Dr. Arunachalam continues to work in California
15 in patent litigation related to the assertion of her many patents, with many infringers and
16 defendants in California. At all times relevant to this action, Dr. Arunachalam has been
17 working in California in San Mateo County. So, a substantial part of the property that Dr.
18 Arunachalam is suing about is located in California. All her intellectual property is in
19 California. A substantial part of the events Dr. Arunachalam is suing about happened in this
20 district in California. Hence, this district is the proper location to file this lawsuit.

- 21
22
23
24
25 5. This Court has personal jurisdiction over the Defendants by virtue of their being
26 headquartered at 1100 San Leandro Blvd, Suite 400, San Leandro, CA 94577, and their
27 presence and business activities within this judicial district.
28

6. Venue is proper in this judicial district pursuant to 28 U.S.C. §§ 1391(b), 1391(c) and 1400(b).

7. This Court is vested with jurisdiction of this case pursuant to California Code Ann. Sec. 78A-5-102(1). Venue is proper in this court pursuant to California Code Ann. 78B-3-304 and -307.

III. INTRADISTRICT ASSIGNMENT

8. This lawsuit should be assigned to San Francisco Division of this Court because the San Francisco Division covers San Mateo county, where Plaintiff lives.

IV. FACTS AND CAUSES OF ACTION

BACKGROUND

9. On August 29, 2012, the United States Patent and Trademark Office duly and legally issued U.S. Patent No. 8,271,339 ("the '339 Patent"), entitled "Method and Apparatus For Enabling Real-Time, Bi-Directional Transactions On A Network." Dr. Arunachalam is the assignee of all rights, title, and interest in the '339 Patent, including the right to recover damages for past infringement. The priority date of the '339 patent is November 13, 1995. A copy of the '339 Patent is attached to the Complaint as Exhibit A.

10. TNET provides HR applications via electronic means accessible at least through its website including, but not limited to the website <http://www.trinet.com>.

FIRST CAUSE OF ACTION: (INFRINGEMENT OF THE '339 PATENT)

11. Plaintiff incorporates and re-alleges paragraphs 1- 12.

12. TNET has directly infringed and is continuing to infringe one or more claims of the '339 Patent by operating without authority one or more systems which are reflected in the website <https://www.trinet.com>. Specifically, TNET infringed and infringes, because (i) it operated

1 and continues to operate applications and software including, but not limited to, those
2 maintained on servers located in and/or accessible from the United States under TNET's
3 control that, as reflected in the website, *inter alia*, provide Point-of-Service applications to a
4 multi-media device over the World Wide Web, a server comprising memory and a processor
5 which comprise program instructions executable by the processor to implement Web
6 application transactions over the application layer of the OSI model; a Web server
7 programmed to deliver one of the website's Web pages displaying multiple Point-of-Service
8 applications on a multi-media device for access by a user, where the Point-of-Service
9 applications may be selected by the user to provide access to TNET's on line services, and
10 providing for two-way communication between TNET 's on-line Web application and the
11 user; instructions for the Web server to hand over the user's request to access a Point-of-
12 Service application and to mediate the interactions between the user and the interface of
13 TNET's on line service during at least one real-time transaction being through a graphical
14 user interface displayed on the Web page on the user's multi-media device; component
15 connecting the Point of Service application on the web page to the on-line TNET 's service
16 over the Web with instructions for allowing the user to bi-directionally retrieve data stored on
17 TNET 's database and for writing data to the database in real-time, so that user and TNET can
18 perform a non-deferred transaction, and (ii) utilized and is utilizing computer equipment,
19 including, without limitation, computer equipment that stores, serves, and/or runs the
20 foregoing.

21
22
23
24
25 13. Defendant's infringement has injured Plaintiff. Accordingly, Plaintiff is entitled to recover
26 damages adequate to compensate it for such infringement, but in no event less than a
27
28

reasonable royalty, and an injunction to prohibit further infringement of the '339 Patent or future compensation for use of the inventions.

14. **PRAYER FOR RELIEF**

15. WHEREFORE, Plaintiff asks this Court to enter judgment against Defendant and against Defendant's subsidiaries, affiliates, agents, servants, employees and all persons in active concert or participation with them, granting the following relief:

A. An award of damages adequate to compensate Plaintiff for the infringement that has occurred, together with prejudgment interest from the date infringement of the '339 Patent began;

B. An award to Plaintiff of all remedies available under 35 U.S.C. § 284;

C. An award to Plaintiff of all remedies available under 35 U.S.C. § 285;

D. A permanent injunction under 35 U.S.C. § 283 prohibiting further infringement of the '339 Patent, and, in the alternative, in the event injunctive relief is not granted as requested by Plaintiff, an award of a compulsory future royalty; and

E. Such other and further relief as this Court or a jury may deem proper and just.

DEMAND FOR JURY TRIAL

16. Plaintiff demands a jury trial on all issues.

17. Plaintiff incorporates paragraphs 1 through 18 in each Section above as if fully incorporated therein.

1 DATED: February 10, 2015

Respectfully submitted,

2 *Lakshmi Arunachalam*

3 Dr. Lakshmi Arunachalam

4 Individual and Owner of Patents-in-Suit

5 222 Stanford Avenue
6 Menlo Park, CA 94025
7 650 690 0995
8 laks22002@yahoo.com

Pro-Se Plaintiff

Dr. Lakshmi Arunachalam

Exhibit A



US008271339B2

(12) **United States Patent**
Arunachalam

(10) Patent No.: **US 8,271,339 B2**
(45) Date of Patent: **Sep. 18, 2012**

(54) **METHOD AND APPARATUS FOR ENABLING
REAL-TIME BI-DIRECTIONAL
TRANSACTIONS ON A NETWORK**

(76) Inventor: **Lakshmi Arunachalam, Menlo Park,
CA (US)**

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

4,984,155 A 1/1991 Geler et al.
5,125,091 A 6/1992 Staas, Jr. et al.
5,148,474 A 9/1992 Haralambopoulos et al.
5,159,632 A 10/1992 Crandall
5,231,566 A 7/1993 Blutinger et al.
5,239,662 A 8/1993 Danielson et al.
5,285,383 A 2/1994 Lindsey et al.
5,297,249 A 3/1994 Bernstein et al.
5,329,589 A 7/1994 Fraser et al.
5,329,619 A 7/1994 Page et al.
5,347,632 A 9/1994 Filepp et al.

(Continued)

(21) Appl. No.: **12/932,758**

(22) Filed: **Mar. 4, 2011**

(65) **Prior Publication Data**
US 2011/0161202 A1 Jun. 30, 2011

Related U.S. Application Data

(60) Continuation-in-part of application No. 09/863,704,
filed on May 23, 2001, now Pat. No. 7,930,340, which
is a continuation-in-part of application No.
09/792,323, filed on Feb. 23, 2001, now Pat. No.
7,340,506, which is a continuation-in-part of
application No. 08/879,958, filed on Jun. 20, 1997,
now Pat. No. 5,987,500, which is a division of
application No. 08/700,726, filed on Aug. 5, 1996, now
Pat. No. 5,778,178.

(60) Provisional application No. 60/006,634, filed on Nov.
13, 1995.

(51) Int. Cl.
G06Q 30/00 (2012.01)

(52) U.S. Cl. **705/26; 705/27**

(58) Field of Classification Search **705/26,
705/27, 26.1, 27.1**

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,829,372 A 5/1989 McCalley et al.
4,851,988 A 7/1989 Trottier et al.

FOREIGN PATENT DOCUMENTS

WO WO 97/18515 A1 5/1997

(Continued)

OTHER PUBLICATIONS

ISDN solutions: Ready for prime time, Viola, Anthony J. Telecom-
munications. (Americas edition). Dedham: Jun 1995. vol. 29, Iss. 6;
p. 55, downloaded from ProQuestDirect on the Internet on Jul. 15,
2012, 6 pages.*

U.S. Appl. No. 60/208,057, filed May 31, 2000, Krichilsky.

U.S. Appl. No. 08/168,519, filed Dec. 1993, Gifford.

UIUC, "The Common Gateway Interface", pp. 1-4, <http://hooohoo.ncsa.uiuc.edu/cgi/primer.html>, Retrieved on May 22, 2001, WBX 000.

Arnold, K. et al., "Media-Independent Interfaces in a Media-Depen-
dent World", USENIX Conference on Object-Oriented Technolo-
gies, Monterey, CA Jun. 1995, WBX001.


(Continued)

Primary Examiner — James Zurita

(57) **ABSTRACT**

The present invention provides a method and apparatus for
providing real-time, two-way transactional capabilities on the
Web. Specifically, one embodiment of the present invention
discloses a method for enabling object routing, the method
comprising the steps of creating a virtual information store
containing information entries and attributes associating each
of the information entries and the attributes with an object
identity, and assigning a unique network address to each of
the object identities. A method is also disclosed for enabling
service management of the value-added network service, to
perform OAM&P functions on the services network.

14 Claims, 13 Drawing Sheets



US 8,271,339 B2

Page 2

U.S. PATENT DOCUMENTS

5,367,635 A	11/1994	Bauer et al.	5,889,957 A	3/1999	Ratner et al.
5,383,113 A	1/1995	Right et al.	5,890,137 A	3/1999	Koreeda
5,404,523 A	4/1995	Dellaferm et al.	5,890,161 A	3/1999	Helland et al.
5,408,619 A	4/1995	Oran	5,892,821 A	4/1999	Turner
5,414,812 A	5/1995	Filip et al.	5,893,076 A	4/1999	Hafner et al.
5,428,792 A	6/1995	Conner et al.	5,895,454 A	4/1999	Harrington
5,432,937 A	7/1995	Tevanian et al.	5,897,621 A	4/1999	Boesch et al.
5,434,974 A	7/1995	Loucks et al.	5,901,228 A	5/1999	Crawford
5,440,744 A	8/1995	Jacobson et al.	5,909,492 A	6/1999	Payne et al.
5,442,771 A	8/1995	Filepp et al.	5,910,987 A	6/1999	Ginter et al.
5,442,791 A	8/1995	Wrabetz et al.	5,913,040 A *	6/1999	Rakavy et al. 709/232
5,444,192 A	8/1995	Shetye et al.	5,913,061 A	6/1999	Gupta et al.
5,446,896 A	8/1995	Hegarty et al.	5,931,967 A	8/1999	Shimitzu et al.
5,452,433 A	9/1995	Nihart et al.	5,946,509 A	8/1999	Morton et al.
5,455,903 A	10/1995	Jolissaint et al.	5,956,400 A	9/1999	Chaum et al.
5,475,819 A	12/1995	Miller et al.	5,956,509 A	9/1999	Kevner
5,491,800 A	2/1996	Goldsmith et al.	5,958,004 A	9/1999	Holland et al.
5,517,645 A	5/1996	Stutz et al.	5,960,411 A	9/1999	Hartman et al.
5,519,868 A	5/1996	Allen et al.	5,987,500 A	11/1999	Arunachalam
5,537,464 A	7/1996	Lewis et al.	6,003,085 A	12/1999	Ratner et al.
5,539,909 A	7/1996	Tanaka et al.	6,014,651 A	1/2000	Crawford
5,557,780 A	9/1996	Edwards et al.	6,014,666 A	1/2000	Helland et al.
5,560,005 A	9/1996	Hoover et al.	6,049,785 A	4/2000	Gifford
5,577,251 A	11/1996	Hamilton et al.	6,049,819 A	4/2000	Buckle et al.
5,590,197 A	12/1996	Chen et al.	6,055,514 A	4/2000	Wren
5,592,378 A	1/1997	Cameron et al.	6,055,567 A	4/2000	Ganesan et al.
5,604,905 A	2/1997	Tevanian et al.	6,073,237 A	6/2000	Ellison
5,613,148 A	3/1997	Bezviner et al.	6,092,053 A	7/2000	Boesch et al.
5,664,111 A	9/1997	Nahan et al.	6,094,673 A	7/2000	Dilip et al.
5,671,279 A	9/1997	Elgamal et al.	6,101,482 A	8/2000	DiAngelo et al.
5,677,708 A	10/1997	Matthews, III et al.	6,101,527 A	8/2000	Lejeune et al.
5,694,549 A	12/1997	Carlin et al.	6,119,152 A	9/2000	Carlin et al.
5,703,344 A	12/1997	Bezy et al.	6,125,185 A	9/2000	Boesch
5,706,442 A	1/1998	Anderson et al.	6,125,352 A	9/2000	Franklin et al.
5,708,780 A	1/1998	Levergood et al.	6,128,315 A	10/2000	Takeuchi
5,710,887 A	1/1998	Chelliah et al.	6,134,594 A	10/2000	Holland et al.
5,712,913 A	1/1998	Chaum	6,135,646 A	10/2000	Kahn et al.
5,715,314 A	2/1998	Payne et al.	6,145,090 A	11/2000	Yamaguchi et al.
5,715,444 A	2/1998	Danish et al.	6,185,609 B1	2/2001	Rangarajan et al.
5,724,424 A	3/1998	Gifford	6,192,250 B1	2/2001	Buskens et al.
5,737,533 A	4/1998	de Hond	6,205,433 B1	3/2001	Boesch et al.
5,742,762 A	4/1998	Scholl et al.	6,212,556 B1	4/2001	Arunachalam
5,742,768 A	4/1998	Gennaro et al.	6,212,634 B1	4/2001	Geer et al.
5,745,681 A	4/1998	Levine et al.	6,249,291 B1	6/2001	Popp et al.
5,754,939 A	5/1998	Herz et al.	6,279,001 B1	8/2001	DeBeltencourt et al.
5,757,917 A	5/1998	Rose et al.	6,289,322 B1	9/2001	Kitchen et al.
5,758,072 A	5/1998	Filepp et al.	6,295,522 B1	9/2001	Boesch
5,758,327 A	5/1998	Gardner et al.	6,301,601 B1	10/2001	Holland et al.
5,771,354 A	6/1998	Crawford	6,327,577 B1	12/2001	Garrison et al.
5,774,670 A	6/1998	Montulli	6,327,579 B1	12/2001	Crawford
5,778,178 A	7/1998	Arunachalam	6,334,116 B1	12/2001	Ganesan et al.
5,780,780 A	7/1998	Ahmed	6,360,262 B1	3/2002	Guenther et al.
5,781,631 A	7/1998	Chaum	6,363,362 B1	3/2002	Burfield et al.
5,793,964 A	8/1998	Rogers et al.	6,411,943 B1	6/2002	Crawford
5,794,221 A	8/1998	Egendorf	6,453,426 B1	9/2002	Gamache et al.
5,794,234 A	8/1998	Church et al.	6,457,066 B1	9/2002	Mein et al.
5,809,483 A	9/1998	Broka et al.	6,473,740 B2	10/2002	Cockrill et al.
5,812,779 A	9/1998	Ciscon et al.	6,473,791 B1	10/2002	Al-Ghosein et al.
5,822,569 A	10/1998	McPartlan et al.	6,486,895 B1	11/2002	Robertson et al.
5,826,085 A	10/1998	Bennett et al.	6,490,567 B1	12/2002	Gregory
5,826,241 A	10/1998	Stein et al.	6,553,427 B1	4/2003	Chang et al.
5,828,666 A	10/1998	Focsaneanu et al.	6,574,607 B1	6/2003	Carter et al.
5,835,726 A	11/1998	Shwed et al.	6,625,581 B1	9/2003	Perkowski
5,845,061 A	12/1998	Miyamoto et al.	6,678,664 B1	1/2004	Ganesan
5,845,073 A	12/1998	Carlin et al.	6,678,696 B1	1/2004	Helland et al.
5,845,265 A	12/1998	Woolston	6,714,962 B1	3/2004	Helland et al.
5,856,974 A	1/1999	Gervais et al.	6,839,677 B2	1/2005	Mathur et al.
5,859,978 A	1/1999	Sonderegger et al.	6,850,996 B2	2/2005	Wagner
5,864,866 A	1/1999	Henckel et al.	6,856,974 B1	2/2005	Ganesan et al.
5,870,473 A	2/1999	Boesch et al.	6,931,111 B1	8/2005	Coffee
5,870,724 A	2/1999	Lawlor et al.	6,932,268 B1	8/2005	McCoy et al.
5,873,072 A	2/1999	Right et al.	6,948,063 B1	9/2005	Ganesan et al.
5,873,093 A	2/1999	Williamson et al.	7,076,784 B1	7/2006	Russell et al.
5,878,043 A	3/1999	Casey et al.	7,080,051 B1	7/2006	Crawford
5,878,140 A	3/1999	Chaum	7,107,244 B2	9/2006	Right et al.
5,878,141 A	3/1999	Daly et al.	7,120,602 B2	10/2006	Kitchen et al.
5,878,403 A	3/1999	DeFrancesco et al.	7,146,338 B2	12/2006	Right et al.
5,884,301 A	3/1999	Takano	7,175,074 B2	2/2007	Mejias et al.
			7,177,846 B2	2/2007	Moenickheim et al.

US 8,271,339 B2

Page 3

7,213,003 B1 5/2007 Kight et al.
 7,240,031 B1 7/2007 Kight et al.
 7,251,656 B2 7/2007 Keown et al.
 7,296,004 B1 11/2007 Garrison et al.
 7,302,408 B2 11/2007 Engdahl et al.
 7,302,411 B2 11/2007 Ganesan et al.
 7,330,831 B2 2/2008 Biondi et al.
 7,334,128 B2 2/2008 Ganesan et al.
 7,340,506 B2 3/2008 Arunachalam
 7,366,696 B1 4/2008 Ganesan et al.
 7,366,697 B2 4/2008 Kitchen et al.
 7,383,226 B2 6/2008 Kight et al.
 7,389,514 B2 6/2008 Russell et al.
 7,392,223 B1 6/2008 Ganesan et al.
 7,395,243 B1 7/2008 Zielke et al.
 7,395,319 B2 7/2008 Harris et al.
 7,451,400 B2 11/2008 Bales et al.
 7,590,550 B2 9/2009 Schoenberg
 7,600,027 B2 10/2009 Yan
 2001/0037318 A1 11/2001 Lindskog
 2002/0062218 A1 5/2002 Pianin
 2002/0152200 A1 10/2002 Krichilsky et al.
 2003/0069922 A1 4/2003 Arunachalam
 2008/0091801 A1 4/2008 Arunachalam
 2009/0094347 A1 4/2009 Ting et al.

FOREIGN PATENT DOCUMENTS

WO WO 00/63781 A1 10/2000

OTHER PUBLICATIONS

- Arshad, K.M. et al., "A CORBA based framework for trusted E-Commerce Transactions", Enterprise Distributed Object Computing Conference, pp. 18-25, EDOC '99 Sep. 27, 1999, WBX002.
- Atkinson, R., RFC 1825: "Security Architecture for the Internet Protocol", Naval Research Laboratory, Category: Standards Track, Network Working Group, Aug. 1, 1995, WBX007.
- Banks, M., "America Online: A Graphics-based Success", Link-Up, Jan./Feb. 1992, WBX008.
- Banks, M., "Compuserve for Windows", M.I.S Press, 1994, WBX009.
- Baquero, C. et al., "Integration of Concurrency Control in a Language with Subtyping and Subclassing", USENIX Conference on Object-Oriented Technologies, Jun. 1995, WBX010.
- Baron, C. and Weil, B., "Dr. Dobbs Portal: Implementing a Web Shopping Cart", Online Transactions in PERL, Sep. 1, 1996 WBX011.
- Bharat, K. et al., "Visual Obliq: A System for Building Distributed, Multi-User Applications by Direct Manipulation", SRC 130a, DEC, Oct. 31, 1995, WBX012.
- Bharat, K. et al., "Distributed Applications in a Hypermedia Setting", Proc. Intl Workshop on Hypermedia Design, <http://www.cc.gatech.edu/yu/people/PhDKrishna/WHID.html>, Jun. 1, 1995 WBX013.
- Broadvision, "Broadvision One-to-One: On-line Marketing and Selling Application System Developers' Guide", 1995, WBX020.
- Broadvision, "Broadvision One-to-One: On-Line Marketing and Selling Application System: Dynamic Command Center User's Guide", 1995, WBX021.
- Broadvision, "Broadvision One-to-One: On-Line Marketing and Selling Application System: Installation and System Administration Guide" 1995, WBX022.
- Broadvision, "Broadvision One-to-One: On-Line Marketing and Selling Application System: Technical Overview", 1995, WBX023.
- Glossbrenner, A., "MasterGuide to Compuserve", "Chapter 15: Travel Services: Join CompuServe and See the World", Prentice Hall, 1987, WBX065.
- Gross, C., "Taking the Splash Diving into ISAPI", ISAPI Programming, Microsoft Interactive Developer, www.microsoft.com/mind/0197/ISAPI.htm, Jan. 1, 1997, pp. 1-10, retrieved May 22, 2001 WBX066.
- "Open Market Inc, Managing in a Turbulent Environment", Harvard Business School, 9-196-097, Aug. 29, 1996, WBX067.
- Hickey, M., "Shopping at Home: One Modem Line, No Waiting", Home PC, Dec. 1, 1994, p. 307, Dialog, File 647, Acc# 01038162, WBX068A.
- Lang, "Cashing In: The Rush is on to Buy and Sell on the Internet But on Sidelines for Now", Advertising Age, Dec. 19, 1994, p. 11, Dialog, File 16, Acc# 05419137, WBX068B.
- Lichty, T., "America Online Tour Guide", MacIntosh Edition, Version 2, Chapter 1, 3, 8, 10, 1992, WBX068C.
- Tymnet, Wikipedia, the free encyclopedia, <http://en.wikipedia.org/wiki/tymnet>, Retrieved on May 1, 2007, WBX068D.
- Cox, B. et al., "NetBill Security and Transaction Protocol", Carnegie Mellon University, Pittsburgh, PA 15212-3890, undated, WBX068E.
- Lamond, K. et al., "Credit Card Transactions Real World and OnLine", http://www.virtualschool.edu/mon/ElectronProperty/klamond/credit_card.htm, 1996, pp. 1-16, WBX068F.
- "Open Market Catalog Centre", Enterprise Content, www.openmarket.com/cgi-bin/gx.cgi/AppLogic+FT+ContentServer?pagename=FutureTense/Apps/Xcelerate/Render&c=Arti_777, WBX069.
- Business Wire, High Beam Wire, "Open Market releases first complete software solution" Oct. 16, 1995, WBX070.
- McCloghrie, K. et al., RFC 1156, "Management Information Base for Network Management of TCP/IP-based internets", May 1, 1990, WBX071.
- Case, J. et al., RFC 1157 May 1, 1990, WBX072.
- Rose, M., RFC 1283: "SNMP over OSI", Dec. 1, 1991, WBX073.
- Rose, M. et al., RFC 1155: "Structure and Identification of Management Information for TCP/IP-based internets", May 1, 1990, WBX074.
- Case, J. et al., RFC 1442: "Structure of Management Information for version 2 of the Simple Network Management Protocol (SNMPv2)", AllState 00011394 Apr. 1, 1993, WBX075.
- "ORBIX Programmer's Guide", IONA Technologies, Oct. 1, 1997, WBX076A-E.
- "ORBIX Programmer's Guide", Release 1.3.1, IONA Technologies, Feb. 1, 1995, WBX077.
- Ito, J. et al., "Using meta-objects to support optimization in the Aertos Operating System", USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX078.
- Jordan, M. et al., "Software Configuration Management in an Object-Oriented Database", USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX079.
- Kaue, P., "Prodigy Made Easy", "Chapter 6, Shopping Made Easy", 2nd ed., 1993, WBX080.
- Iagozo, C. et al., "Dionst: Implementation Reference Manual", May 5, 1995, WBX081.
- Open Market Commerce Products, Enterprise Content www.openmarket.com/cgi-bin/gx.cgi/AppLogic+FT+ContentServer?pagename=FutureTense/Apps/Xcelerate/Render&c=A_ZZZ, WBX082.
- Lange, D.B. et al., "Program Explorer: A Program Visualizer for C++", Proceedings of the USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX083.
- Laufer, K., "A Framework for Higher Order Functions in C++", Proceedings of the USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX084.
- Li, G. and Bacon, J., "Supporting Distributed Real-Time Objects", IEEE Jul. 1994, pp. 138-143, WBX085.
- Limprecht, R., "Microsoft Transaction Server", IEEE, Compcon '97 Proceedings, 1997, pp. 14-18, WBX086.
- Maffei, S., "Adding Group Communication and Fault-Tolerance to CORBA", Proceedings of the USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX087.
- Mahindra, A. et al., "Dynamic Insertion of Object Services", Proceedings of the USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX088.
- McCloghrie, K. et al., RFC 1213, "Management Information Base for Network Management of TCP/IP-based internets: MIB-II", SNMP Working Group, Mar. 1, 1991, WBX089.
- McCloghrie, K. et al., RFC 1447, "Party MIB for version 2 of the SIMPLE Network Management Protocol", SNMP Security Working Group, Apr. 1, 1993, WBX090.
- McKie, S., "ERP Meets Web E-Commerce", DBMS, Jul. 1, 1998, WBX091.
- McMaster D. et al., RFC 1516: "802.3 Repeater devices—Definition of Managed Objects", Feb. 9, 1992, WBX092.

US 8,271,339 B2

Page 4

- "Allstate Connects with Countrywide Producer Network in Seven Months Using Microsoft Visual Studio.NET and the .NET Framework", Microsoft.NET Customer Solution, Jan. 2003, WBX 093.
- O'Brien Jones, 90/010,346 Application which is the 5,778,178 Re-exam doc, Exhibits Part 1-WBX101, Exhibits Part 2-WBX102, Nov. 21, 2008 Third Party Requests, WBX094.
- "Microsoft Component Services, Server Operating System, A Technology Overview", <http://www.microsoft.com/com/wpaper/compsvcs.asp>, Aug. 15, 1998, [retrieved on May 22, 2001], WBX095.
- Allstate Uses Web Services to Quickly Create Insurance Policy Management Solution, Microsoft.NET Customer Solution Case Study, Jan. 2005, WBX098.
- Mitchell et al., "An Overview of the Spring System", Sun Microsystems, WBX099.
- Muckelbauer, P. and Russo, V., "Lingua Franca: An IDL for Structured Subtyping Distributed Object Systems", USENIX Conference: Object-Oriented Technologies, Monterey, CA, WBX100.
- Reynolds, J. Posting to comp.doc USENET group, <http://nyurl.com/53a95p>, RFC 1212, 1213- Google groups on concise definitions MIB and MIBII, Exhibit G, Mar. 27, 1991, WBX045.
- Relihan, J. et al., "Untangling the World-Wide Web", 12th Annual International Conference on Systems Documentation, Oct. 1, 1994, pp. 17-24, ACM, WBX102A.
- Rose, M. T., "The Simple Book: An Introduction to Internet Management", 1994, pp. 14-15, 379-387 (2nd ed.) Exhibit F, WBX102C.
- "Open Market Enterprise: Content Server", www.openmarket.com/cgi-bin/gx.cgi/AppLogic+FTContentServer?pagename=FutureTense/Apps/Xcelerate/Render&c=Article, pp. 1-4, WBX103.
- "Open Market Enterprise: Content Center", www.openmarket.com/cgi-bin/gx.cgi/AppLogic+FTContentServer?pagename=FutureTense/Apps/Xcelerate/Render&c=Article, Retrieved May 15, 2001, WBX104.
- "Open Market Enterprise: Content-Driven eBusiness", www.openmarket.com/cgi-bin/gx.cgi/AppLogic+FTContentServer?pagename=FutureTense/Apps/Xcelerate/Render&c=Article, WBX105.
- "Open Market ShopSite 5.0", Retrieved on May 15, 2001 from: <URL <http://www.openmarket.com/cgi-bin/gx.cgi/AppLogic+FTContentServer?pagename=FutureTense/Apps/Xcelerate/Render&c=Article>>, WBX 112.
- Orfali, R. et al., "Essential Client/Server Survival Guide"—John Wiley and Sons—Set 1, 1994, WBX114.
- Orfali, R. et al., "Essential Client/Server Survival Guide"—John Wiley and Sons—Set 2, 1994, WBX115.
- Orfali, R.; Hankey, D.; Edwards, J., "Essential Client/Server Survival Guide" John Wiley and Sons, Sets 1-4, Jun. 16, 2005, WBX116.
- Orfali, R. et al., "Essential Client/Server Survival Guide"—John Wiley and Sons—Set 4, 1994, WBX117.
- Pavlou, G. et al., "A Generic Management Information Base Browser", WBX119.
- Peterson, L. et al., "Computer Networks, A Systems Approach", Morgan Kaufmann Publishers, Inc., 1996, pp. 472-507, WBX120.
- Pitkow, J. et al., "Using the Web as a Survey Tool: Results from the Second WWW User Survey", conducted 10/15& 11/94, presented at 3rd Intl WWW Conference Apr. 10-14, 1995; WBX121.
- Netscape Unveils New Versions of Commercial Applications for Enhanced Integration with Corporate Databases, Netscape Press Release, May 13, 1996, WBX122.
- Raatikainen, K., "Database Access in Intelligent Networks", Proceedings of IFIP TC6 Workshop on Intelligent Networks, pp. 163-183, WBX123.
- Radia, S. R. et al., "The Spring Object Model", Proceedings of the USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX124.
- Rosenberry, et al., "OSF Distributed Computing Environment—Understanding DCE".—O'Reilly & Associates, Jun. 1993, WBX126.
- Rubin, C., "Wired: in the Bag", Jun. 1997, WBX127.
- Schepp et al., "The Complete Guide to CompuServe: Chapter 12: Travel Services: See the World Today the CompuServe Way", 1990, pp. 409-437, McGraw Hill, WBX128.
- Schmidt, D. et al., "Object-Oriented Components for High-Speed Network Programming", Preceeds of USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX 129.
- Siegel, J., "Common Object Services Specification vol. 1, Rev 1, First Edition", OMG Doc 94-1-1, Mar. 1, 1994, WBX130, A.
- "Common Desktop Environment: Product Glossary", SunSoft, 1994-1995, WBX131.
- "Common Desktop Environment: Applications Builder User's Guide", SunSoft, 1994-1995, WBX132.
- "OpenStep Development Tools", SunSoft, 1996, WBX133A, B.
- Porting NextStep 3.2/3.3 Applications to OpenStep on Solaris, SUNSOFT, 1996, WBX134.
- "Common Desktop Environment: Internationalization Programmer's Guide", Sun Microsystems, 1994-1995, WBX156.
- "Common Desktop Environment: Tooltalk Messaging Overview", Sun Microsystems, 1994-1995, WBX157.
- "Common Desktop Environment: Common StyleGuide and Certification Checklist", SunSoft, 1994-1995, WBX158, C.
- "Common Desktop Environment: Programmer's Overview", SunSoft, 1994-1995, WBX159.
- Developer's Guide to Internationalization, Sun Microsystems, 1994, WBX160.
- "Dr. Gui's Gentle Guide to COM", <http://www.microsoft.com/Com/news/drgui.asp> [retrieved on May 22, 2001], Nov. 1, 1999, WBX161.
- "iPIN Company Info", <http://www.ipin.com/01comp.html> [retrieved on May 23, 2001], iPIN Interactive Transaction Services, Inc., 2000, WBX162.
- "iPIN Home", <http://www.ipin.com> [retrieved on May 23, 2001], iPIN Interactive Transaction Services, Inc., 2000, WBX163.
- "iPIN Service Options", http://www.ipin.com/02prod_service.html [retrieved on May 23, 2001], iPIN Interactive Transaction Services, Inc., 2000, WBX164.
- "iPIN Solutions", http://www.ipin.com/02prod_solution.html [retrieved on May 23, 2001], iPIN Interactive Transaction Services, Inc., 2000, WBX165.
- "iPIN Partners", <http://www.ipin.com/03part.html> [retrieved on May 23, 2001], iPIN Interactive Transaction Services, Inc., 2000, WBX166.
- "iPIN Technology", http://www.ipin.com/02prod_tech.html [retrieved on May 23, 2001], iPIN Interactive Transaction Services, Inc., 2000, WBX167.
- Netscape Products: Open and Secure Internet Software, 1995, WBX168A.
- Netscape Merchant System, Data Sheet 1995, WBX168B.
- Netscape Internet Applications, Customer Showcase 1995, WBX168C.
- Netscape Server API, 1995, WBX 168D.
- Netscape Object-Oriented Paradigm of Server Configuration, 1995, WBX168E.
- RSA: Verisign Redirection Information, Important Announcement 1995, WBX168F.
- RSA: Verisign to Provide Digital IDs for Open Market's Secure WebServer, 1995, WBX168G.
- Verisign Adds the Missing Component to Online Security Solutions 1995, WBX168H.
- Hickman, K.E.B.; Netscape, "The SSL Protocol", 1995, WBX168I.
- Netscape iStore DataSheet, 1995, WBX168J.
- Choudhury, A.K. et al., "Copyright Protection for Electronic Publishing over Computer Networks", 1995 IEEE Network, 9, May/June, vol. 3 pp. 12-20 (1995) WBX168L.
- NSAPI Basics, (Chapter 1) <http://developer.netscape.com/docs/manuals/enterprise/nsapi/svrop.htm> [retrieved on May 22, 2001], 1997, WBX174.
- "OpenStep User Interface Guidelines", SunSoft, 1996, WBX175.
- "OpenStep Programming Reference", SunSoft, 1996, (12 parts) WBX176.
- "QuickStart to Using the Open Step Desktop", SunSoft, 1996, WBX177.
- Rose, M. et al., "RFC 1065: Structure and Identification of Management Information for TCP/IP-based internets", Aug. 1, 1988, WBX178.
- Stewart, B., RFC 1318: "Definition of Managed Objects for Parallel-printer-like Hardware Devices", Apr. 1, 1992, WBX179.

US 8,271,339 B2

Page 5

- Rivest, R., "RFC 1321: The MD5 Message-Digest Algorithm", 1997, WBX180.
- Solaris Common Desktop Environment: MOTIF Transition Guide, Sun Microsystems, 1997, WBX181.
- "Solaris Common Desktop Environment: Programmer's Guide", Sun Microsystems, 1994-1995, WBX182.
- "The iPin Approach", <http://www.ipin.com/02prod.html>, 2000, [retrieved on May 23, 2001], Interactive Transaction Services, Inc., WBX183.
- Orfali, R. et al., "The Essential Distributed Objects Survival Guide"—Part 1-1, John Wiley and Sons, 1996, WBX201.
- Orfali, R. et al., "The Essential Distributed Objects Survival Guide"—Part 1-2, John Wiley and Sons, 1996, WBX202.
- Orfali, R. et al., "The Essential Distributed Objects Survival Guide"—Part 1-3, John Wiley and Sons, 1996, WBX203.
- Orfali, R. et al., "The Essential Distributed Objects Survival Guide"—Part 2-1, John Wiley and Sons, 1996, WBX204.
- Orfali, R. et al., "The Essential Distributed Objects Survival Guide"—Part 2-2, John Wiley and Sons, 1996, WBX205.
- Orfali, R. et al., "The Essential Distributed Objects Survival Guide"—Part 2-3, John Wiley and Sons, 1996, WBX206.
- Orfali, R. et al., "The Essential Distributed Objects Survival Guide"—Part 3-1, John Wiley and Sons, 1996, WBX207.
- Orfali, R. et al., "The Essential Distributed Objects Survival Guide"—Part 3-2, John Wiley and Sons, 1996, WBX208.
- Orfali, R. et al., "The Essential Distributed Objects Survival Guide"—Part 3-3, John Wiley and Sons, 1996, WBX209.
- Orfali, R. et al., "The Essential Distributed Objects Survival Guide"—Part 4-1, John Wiley and Sons, 1996, WBX210.
- Orfali, R. et al., "The Essential Distributed Objects Survival Guide"—Part 4-2, John Wiley and Sons, 1996, WBX211.
- Orfali, R. et al., "The Essential Distributed Objects Survival Guide"—Part 4-3, John Wiley and Sons, 1996, WBX212.
- Orfali, R. et al., "The Essential Distributed Objects Survival Guide"—Part 4-4, John Wiley and Sons, 1996, WBX213.
- Broadvision, "Broadvision One-to-One: Programmer's Reference, Part 1" 1995, WBX214.
- Broadvision, "Broadvision One-to-One: Programmer's Reference, Part 2" 1995, WBX215.
- OMG, "The Common Object Request Broker: Architecture and Specification", CORBA v2.0 (NYC-#1655390-v1), Jul. 1995-1996, WBX216.
- The Open Group, "Inter-domain Management: Specification Translation", 1997, WBX222.
- The Open Group, "Inter-domain Management Summary of Similarities and Differences", 1997, WBX223.
- The Open Group, "Inter-domain Management object models comparison", 1997, WBX224.
- Miller, M., "Managing Internetworks with SNMP", 1993, pp. 138-139, M&T Books., '506 Inter Parties Re-examination Exhibit 12, Dec. 2008, WBX225.
- Umar, A., "Distributed Computing: A Practical Synthesis", "Appendix B: Tutorial on TCP/IP Protocol Suite", (BellCore), 1993, WBX226.
- Umar, A., "Distributed Computing: A Practical Synthesis", "Chapter 5: Client-Server Systems and Application-Interconnectivity", (BellCore), 1993, WBX227.
- Spero, "Binary Gateway Interface—An API for Dynamically Extensible http Servers", Jul. 1, 1994, Retrieved on Apr. 5, 2009 from <http://www.ibiblio.org/indiana-release/BGI-spec.txt>, WBX228.
- "Point, Click and Shop Never So Easy: The CheckFree Wallet", NewsHound, SJ Mercury News, PRNewswire, Apr. 10, 1995, Retrieved Apr. 5, 2009 from http://besser.iso.nyu.edu_ZZZ, WBX229.
- DEC ObjBroker, 1.0.9, Apr. 3, 1996, http://209.85.173.132/search?q=cache:c3iJxZca3aUJ:www.faq.s.org/faq/object-faq/part3/+DEC%27s+ObjectBroker+Service&cd=9&hl=en&ct=clnk&g_ZZZ, WBX230.
- Arunachalam, U.S. Appl. No. 11/980,185 Duty of Candor Rule 56 Disclosure, Feb. 11, 2009, WBX220.
- Arunachalam, U.S. Appl. No. 11/980,185 Duty of Candor Rule 56 Disclosure, Mar. 4, 2009, WBX221.
- NYC-#1579692-v1-WebXchange—_March_3_DELL_Complaint.DOC, Mar. 3, 2008, WBX217.
- NYC-#1579751-v1-WebXchange—_March_3_Allstate_Complaint.DOC, Mar. 3, 2008, WBX218.
- NYC-#1579947-v1-WebXchange—_March_3_FedEx_Complaint.DOC, Mar. 3, 2008, WBX219.
- "Easel Corporation Introduces Comprehensive Program", Mar. 13, 1995, Business Wire, http://209.85.173.132/search?q=cache:MscjZC2srEJ:findarticles.mi_m0EIN/is_1995_Marc_ZZZ, WBX231.
- "Internet Information Commerce: The First Virtual", Jul. 1995, 1st USENIX Wkshp: E-Commerce, NY Retrtd Apr. 5, 2009 http://www.usenix.org/publications/library/proceedings/cc95/f_ZZZ, WBX232.
- "O'Reilly Releases Website", WebView, EIT, May 12, 1995, V7: Issue 41, ISSN 1004-042X, Computer underground Digest, Rtrvd Apr. 5, 2009 http://cu-digest.org/CUD57/cud74_ZZZ, WBX233.
- "RSA and EIT Joint Venture", Terisa Systems, EIT and RSA: Secure HTTP, Jun. 13, 1994, Retrieved on Apr. 5, 2009 <http://1997.webhistory.org/www.lists/www-talk.1994q2/0980.html>, WBX234.
- "CommerceNet the First Large-Scale Market Trial", EIT: CommerceNet, Aug. 3, 1994, Proc. May 1994, Ties That Bind conference, Rtrvd Apr. 5, 2009 http://internet.eser_ZZZ, WBX235.
- Rubin, A., "IETF-Stockholm meeting" NetCheck: E-signatures, Aug. 5, 1995, pp. 1-2, CIPHER, Newsletter IEEE Computer Society's TC 8, http://www.ieee-security.org/Cipher/PastIssu_ZZZ, WBX236.
- Open Market, "FastCGI: A High-Performance Web Server Interface", Apr. 1996, Retrieved on Apr. 5, 2009 <http://www.fastcgi.com/devkit/doc/fastcgi-whitepaper/fastcgi.htm>, WBX237.
- Sun Microsystems, "HotJava", Wikipedia, the free encyclopedia, Jun. 1995, Retrieved on Apr. 5, 2009 from <http://en.wikipedia.org/wiki/HotJava>, WBX238.
- W3C Status Codes, HTRESP_html_w3_org, 1992 WBX239.
- Hewlett Packard, "HP Oadpter/OpenODB", Jul. 1994, Retrieved on Apr. 5, 2009 from <http://web.bilkent.edu.tr/Online/oo-faq/oo-faq-S-8.13.0.5.html>, WBX240.
- Internet Shopping Network_ISN Business Newswire (1995) WBX241.
- NCR Co-operative Frameworks 3, (1993) WBX242.
- Distributed Objects Everywhere, NEO, Wikipedia (1996) WBX243.
- NetMarket (1996) WBX244.
- Enterprise Object Networks, Wikipedia (1996) WBX245.
- OMG Document No. 91_12_1 Revision 1_1 (1997) WBX246.
- DigiCash Smartcards (1997) WBX247.
- IBM System Object Model_SOM (1998) WBX248.
- IBM System Object Model_SOM_DSOM (1998) WBX249.
- Open Market StoreBuilder (1995) WBX250.
- WebXpress Web StoreFront (1996) WBX251.
- PNC, Industry.Net do eCommerce (1996) WBX252.
- 10KPowerShip, PowerPartner (1996) WBX253.
- T. Berners-Lee Hypertext Markup Language RFC1866 (1995) WBX254.
- E. Nebel RFC1867 (1995) WBX255.
- RFC1942 (1996) WBX256.
- J. Seidman RFC1980 (1996) WBX257.
- HTML—Wikipedia, the free encyclopedia—Notepad (1998) WBX258.
- Berners-Lee, T., RFC 1630, "Universal Resource Identifiers in WWW", Network Working Group, CERF, Jun. 1994 WBX259.
- Object Broker Service Middleware Sourcebook (1995) WBX260.
- WBXexecsummary4809new2bizplan[1] (2009) WBX268.
- Kramer, Douglas Java Whitepaper May 1996. WBX500.
- Birrell A. et al., "Network Objects", SRC Research Report, Feb. 28, 1994, WBX014.
- Edwards, N., Object Wrapping (for WWW)—The Key to Integrated Services, ANSA Phase III, Apr. 25, 1995, WBX058.
- Ehikioya, S.A., "An Agent-Based System for Distributed Transactions: a Model for Internet-Based transactions", Elec and Computer Engg IEEE Canadian Conf, V1, May 9, 1999, p. 289-294, WBX059.
- Microsoft DJ Order, C-08-05149 WHA "Order Granting Defendant's Motion to Dismiss", Federal Court of Northern California, Feb. 17, 2009, WBX060.

US 8,271,339 B2

Page 6

- "Portal Solutions, an Open Market eBusiness Solution Brief". White Paper. Open Market, Forrester Research TechRankings, Feb. 2001, WBX061.
- "Wireless Solutions, An Open Market eBusiness Solution Brief", WhitePaper. Open Market, Forrester Research TechRankings, Feb. 2001, WBX062.
- Fraga, J. et al., "A Programming Model for Real-Time Applications in Open Distributed Systems", IEEE, 1995, pp. 104-111, WBX063.
- Birrell A. et al., "Implementing Remote Procedure Calls", Xerox Palo Alto Research Center, ACM Transactions, Feb. 1, 1994, WBX015.
- Bowen, C. et al., "How to Get the Most out of CompuServe" 5th Ed. 1991, Random House, Inc. 1991, WBX016.
- Braden, R. et al., RFC 1122: "Requirements for Internet Hosts—Communication Layers" Oct. 1, 1989, WBX017.
- "CyberCash Cash Register Internet Payment Service". retrieved May 23, 2001 <http://www.cybercash.com/cashregister> pp. 1-2, 1996, WBX034.
- "CyberCash—Cash Register—How it Works" retrieved May 23, 2001 <http://www.cybercash.com/cashregister/howitworks.html> pp. 1-3, 1996, WBX035.
- "CyberCash—Industry Leading Features" retrieved May 23, 2001 <http://www.cybercash.com/cashregister/features.html> pp. 1-4, 1996, WBX036.
- "CyberCash Cash Register—Online Secure Payment Service" CashRegister Demos. retrieved May 23, 2001 <http://www.webdata.cybercash.com/demos/> pp. 1-2, 1996, WBX038.
- "CyberCash FraudPatrol.TM. Service" retrieved May 23, 2001 <http://www.cybercash.com/fraudpatrol/> pp. 1-2, 1996, WBX039.
- "CyberCash FraudPatrol—How It Works" retrieved May 23, 2001 <http://www.cybercash.com/fraudpatrol/howitworks.html> pp. 1-2, 1996, WBX040.
- "CyberCash Home", <http://www.cybercash.com> [retrieved on May 23, 2001] 1996, WBX041.
- "CyberCash ICVerify for Windows" Version 2.5 Upgrade, <http://www.cybercash.com/icverify/upgrade.html> pp. 1-2 [retrieved on May 23, 2001] 1996, WBX043.
- Cybercash, "ICVERIFY—Features" retrieved on May 23, 2001 <http://www.cybercash.com/icverify/features.html>, 1996, pp. 1-3, WBX044.
- Brando, T., "Comparing DCE and CORBA", Mitre Document MP 95B-93, Mar. 1, 1995, WBX018.
- Business Wire, "Open Market releases first complete software solution" 1995, WBX025.
- Business Wire, "Sunsoft delivers early access release of Distributed Objects Environment", Jun. 14, 1995, WBX026.
- Case, J. et al., "Network Management and the Design of SNMP", Connexions (ISSN 0894-5926), vol. 3, No. 3, Mar. 1989, WBX027.
- Chung, S. et al., "A Heterogeneous Distributed Information System", IEEE, pp. 443-447, 1993, WBX029.
- Courtney, A., "Phantom: An Interpreted Language for Distributed Programming", Proceedings of USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX030.
- Cybercash, "Affiliate Marketing Service", <http://www.cybercash.com/products/affiliatemarketing.html> [retrieved on May 23, 2001] 1996, WBX031.
- "CyberCash B2B Payment Services", <http://www.cybercash.com/b2b> pp. 1-2 [retrieved May 23, 2001] 1996, WBX032.
- CyberCash B2B Services, 1996, WBX033.
- CyberCash Cash Register Internet Payment Service—Online Secure Payment Service. retrieved on May 23, 2001 from <http://www.cybercash.com/cashregister> pp. 1-2, '96, WBX034.
- "CyberCash—Cash Register—How it Works" retrieved May 23, 2001 from <http://www.cybercash.com/cashregister/howitworks.html> pp. 1-3, '96, WBX035.
- "CyberCash—Industry Leading Features", retrieved May 23, 2001 <http://www.cybercash.com/cashregister/features.html> pp. 1-4, 1996, WBX036.
- "CyberCash Cash Register—Online Secure Payment Service" CashRegister Demos. retrieved May 23, 2001 <http://www.webdata.cybercash.com/demos/> pp. 1-2 1996, WBX038.
- "CyberCash FraudPatrol.TM. Service" retrieved on May 23, 2001 <http://www.cybercash.com/fraudpatrol/> pp. 1-2, 1996, WBX039.
- "CyberCash FraudPatrol—How It Works" retrieved on May 23, 2001, <http://www.cybercash.com/fraudpatrol/howitworks.html> pp. 1-2, 1996, WBX040.
- Cybercash, "ICVERIFY—Features" retrieved on May 23, 2001 from <http://www.cybercash.com/icverify/features.html>, 1996, pp. 1-3, WBX044.
- Cybercash, "Payment Software for Brick and Mortar Merchants" <http://www.cybercash.com/pcauthorize> 1996-2001, WBX046.
- Dr. Gui on Components, COM and ATL, http://msdn.microsoft.com/library/welcome/dsmsdn/msdn_druguion020298.htm, Feb. 2, 1998, pp. 1-61 [retrieved on May 22, 2001], WBX057.
- Cybercash, "Products" 1996. retrieved on May 23, 2001 from <URL: <http://www.CyberCash.com/products/>, 1996, pp. 1-2, WBX048.
- Cybercash, "WebAuthorize—Enterprise and Hosting Payment Processing". retrieved on May 23, 2001 from <URL: <http://www.cybercash.com/webauthorize/>, 1996, pp. 1-2, WBX050.
- Davis et al., "A Protocol and Server for a Distributed Digital Technical Report Library", Apr. 25, 1994, WBX051.
- Davison, A., "Coding with HTML forms HTML goes interactive", (hypertext markup language)(Tutorial), Dr. Dobb's Journal, Jun. 6, 1995, vol. 20, No. 6, 19 pages, WBX052a.
- Davison, A., "Coding with HTML forms: HTML goes interactive", Dr. Dobb's Journal, Jun. 6, 1995, vol. 20, No. 6, pp. 70-79, WBX052b.
- "Distributed Object Technology in the Financial Services Industry: Trading and Risk Management", A White Paper, Sun Microsystems, 1995, WBX053.
- Deng, R.H. et al., "Integrating Security in CORBA-based Architectures", IEEE, Jun. 1995, pp. 50-61, WBX054.
- Dellefs, D. et al., Debugging Storage Management Problems in Garbage Collected Environments, Proc of USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX055.
- Dietinger, T., Object-Oriented Implementation of a Multiprotocol Hyper-G client for MS-Windows, Diplomarbeit in Telematik, TU Graz, Jul. 1, 1995, WBX056.
- "Solstice X.500 Programming Reference", SunSoft, 1996, WBX135, A, B.
- Tatters, W., "Navigating the Internet with CompuServe: Chapter 17: Business on the Net", 1995, pp. 352-374, Sams Publishing, WBX136.
- Technical Staff, "The Conductor Financial Services Framework": Distributed Objects on the Internet, Block Financial Corporation White Paper, BFC Technology Center, Oct. 17, 1995 WBX137.
- Vogler, H. et al., "The Transaction Internet Protocol in Practice: Reliability for WWW Applications", IEEE 1999 Internet Workshop IWS99, (ISSN-0-7803-5925-9), Feb. 18, 1992, WBX146.
- Weich, C., "Generic Containers for a Distributed Object Store", Preqs of the USENIX Conference (Jun. 1995) on Object-Oriented Technologies, Monterey, CA, May 18, 1995, WBX150.
- "SmallTalk" Wikipedia SmallTalk <http://www.objs.com/x3h7/smalltalk.htm> and <http://en.wikipedia.org/wiki/Smalltalk> WBX151.
- Wollrath, A. et al., "Simple Activation for Distributed Objects", Proceedings of the USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX152.
- USENIX, "Agenda of Proceedings of the USENIX Conference on Object-Oriented Technologies", Monterey, CA, Jun. 1995, WBX153.
- "Common Desktop Environment: Desktop Komshell User's Guide", Sun Microsystems, 1994-1995, WBX154.
- "Common Desktop Environment: Help System Author's and Programmer's Guide", Sun Microsystems, 1994-1995, (Three parts) WBX155.
- Siegel, J., "Common Object Services Specification vol. 1, Rev 1, First Edition", OMG Doc 94-1-1, Mar. 1, 1994, WBX130, WBX130A.
- "OpenStep Development Tools", SunSoft, 1996, WBX133A, WBX133B.
- "Common Desktop Environment: Common StyleGuide and Certification Checklist", SunSoft, 1994-1995, WBX158, 158C.

* cited by examiner

U.S. Patent

Sep. 18, 2012

Sheet 1 of 13

US 8,271,339 B2





FIG. 1A (PRIOR ART)

U.S. Patent

Sep. 18, 2012

Sheet 2 of 13

US 8,271,339 B2

**FIG. 1B** (PRIOR ART)




FIG. 2

U.S. Patent

Sep. 18, 2012

Sheet 4 of 13

US 8,271,339 B2

OSI MODEL
300






FIG. 3





U.S. Patent

Sep. 18, 2012

Sheet 6 of 13

US 8,271,339 B2

**FIG. 5A****FIG. 5B**

U.S. Patent

Sep. 18, 2012

Sheet 7 of 13

US 8,271,339 B2




FIG. 5C




FIG. 5D

U.S. Patent

Sep. 18, 2012

Sheet 9 of 13

US 8,271,339 B2




FIG. 5E




FIG. 6A

U.S. Patent

Sep. 18, 2012

Sheet 11 of 13

US 8,271,339 B2




FIG. 6B

U.S. Patent

Sep. 18, 2012

Sheet 12 of 13

US 8,271,339 B2





FIG. 7

U.S. Patent

Sep. 18, 2012

Sheet 13 of 13

US 8,271,339 B2

**FIG. 8**

US 8,271,339 B2

1

METHOD AND APPARATUS FOR ENABLING REAL-TIME BI-DIRECTIONAL TRANSACTIONS ON A NETWORK

This is a continuation-in-part of application Ser. No. 09/863,704 filed May 23, 2001 now U.S. Pat. No. 7,930,340 which was a continuation-in-part of application Ser. No. 09/792,323 filed Feb. 23, 2001, now U.S. Pat. No. 7,340,506, which was a continuation-in-part of application Ser. No. 08/879,958 filed Jun. 20, 1997, now U.S. Pat. No. 5,987,500, which was a divisional of application Ser. No. 08/700,726 filed Aug. 5, 1996, now U.S. Pat. No. 5,778,178, which was related to and claimed priority from provisional application No. 60/006,634 filed Nov. 13, 1995. Application Ser. Nos. 09/863,704, 09/792,323, 08/879,958, 08/700,726 and 60/006,634 are hereby incorporated by reference.

In addition related application Ser. Nos. 12/628,060 filed Nov. 30, 2009, 12/628,066 filed Nov. 30, 2009, 12/628,068 filed Nov. 30, 2009, 12/628,069 filed Nov. 30, 2009, 11/980,185 filed Oct. 30, 2007, 09/296,207 filed Apr. 21, 1999 and provisional application 60/206,422 filed May 23, 2000 are also all hereby incorporated by reference.

The text of this application is substantially similar to that of application Ser. No. 08/700,726, now U.S. Pat. No. 5,778,178.

BACKGROUND

1. Field of the Invention

The present invention relates to the area of Internet communications. Specifically, the present invention relates to a method and apparatus for configurable value-added network switching and object routing.

2. Background of the Invention

With the Internet and the World Wide Web ("the Web") evolving rapidly as a viable consumer medium for electronic commerce, new on-line services are emerging to fill the needs of on-line users. An Internet user today can browse on the Web via the use of a Web browser. Web browsers are software interfaces that run on Web clients to allow access to Web servers via a simple user interface. A Web user's capabilities today from a Web browser are, however, extremely limited. The user can perform one-way, browse-only interactions. Additionally, the user has limited "deferred" transactional capabilities, namely electronic mail (e-mail) capabilities. E-mail capabilities are referred to as "deferred transactions" because the consumer's request is not processed until the e-mail is received, read, and the person or system reading the e-mail executes the transaction. This transaction is thus not performed in real-time.

FIG. 1A illustrates typical user interactions on the Web today. User 100 sends out a request from Web browser 102 in the form of a universal resource locator (URL) 101 in the following manner: <http://www.car.com>. URL 101 is processed by Web browser 102 that determines the URL corresponds to car dealer Web page 105, on car dealer Web server 104. Web browser 102 then establishes browse link 103 to car dealer Web page 105. User 100 can browse Web page 105 and select "hot links" to jump to other locations in Web page 105, or to move to other Web pages on the Web. This interaction is typically a browse-only interaction. Under limited circumstances, the user may be able to fill out a form on car dealer Web page 105, and e-mail the form to car dealer Web server 104. This interaction is still strictly a one-way browse mode communications link, with the e-mail providing limited, deferred transactional capabilities.

2

Under limited circumstances, a user may have access to two-way services on the Web via Common Gateway Interface (CGI) applications. CGI is a standard interface for running external programs on a Web server. It allows Web servers to create documents dynamically when the server receives a request from the Web browser. When the Web server receives a request for a document, the Web server dynamically executes the appropriate CGI script and transmits the output of the execution back to the requesting Web browser. This interaction can thus be termed a "two-way" transaction. It is a severely limited transaction, however, because each CGI application is customized for a particular type of application or service.

For example, as illustrated in FIG. 1B, user 100 may access bank 150's Web server and attempt to perform transactions on checking account 152 and to make a payment on loan account 154. In order for user 100 to access checking account 152 and loan account 154 on the Web, CGI application scripts must be created for each account, as illustrated in FIG. 1B. The bank thus has to create individual scripts for each of its services to offer users access to these services. User 100 can then interact in a limited fashion with these individual applications. Creating and managing individual CGI scripts for each service is not a viable solution for merchants with a large number of services.

As the Web expands and electronic commerce becomes more desirable, the need increases for robust, real-time, bi-directional transactional capabilities on the Web. A true real-time, bi-directional transaction would allow a user to connect to a variety of services on the Web, and perform real-time transactions on those services. For example, although user 100 can browse car dealer Web page 105 today, the user cannot purchase the car, negotiate a car loan or perform other types of real-time, two-way transactions that he can perform with a live salesperson at the car dealership. Ideally, user 100 in FIG. 1A would be able to access car dealer Web page 105, select specific transactions that he desires to perform, such as purchase a car, and perform the purchase in real-time, with two-way interaction capabilities. CGI applications provide user 100 with a limited ability for two-way interaction with car dealer Web page 105, but due to the lack of interaction and management between the car dealer and the bank, he will not be able to obtain a loan and complete the purchase of the car via a CGI application. The ability to complete robust real-time, two-way transactions is thus not truly available on the Web today.

SUMMARY OF THE INVENTION

It is therefore an object of the present invention to provide a method and apparatus for providing real-time, two-way transactional capabilities on the Web. Specifically, one embodiment of the present invention discloses a configurable value-added network switch for enabling real-time transactions on the World Wide Web. The configurable value added network switch comprises means for switching to a transactional application in response to a user specification from a World Wide Web application, means for transmitting a transaction request from the transactional application, and means for processing the transaction request.

According to another aspect of the present invention, a method and apparatus for enabling object routing on the World Wide Web is disclosed. The method for enabling object routing comprises the steps of creating a virtual information store containing information entries and attributes, associating

US 8,271,339 B2

3

ing each of the information entries and the attributes with an object identity, and assigning a unique network address to each of the object identities.

Other objects, features and advantages of the present invention will be apparent from the accompanying drawings and from the detailed description.

BRIEF DESCRIPTION OF THE DRAWINGS

The features and advantages of the present invention will be apparent from the accompanying drawings and from the detailed description of the present invention as set forth below.

FIG. 1A is an illustration of a current user's browse capabilities on the Web via a Web browser.

FIG. 1B is an illustration of a current user's capabilities to perform limited transactions on the Web via CGI applications.

FIG. 2 illustrates a typical computer system on which the present invention may be utilized.

FIG. 3 illustrates the Open Systems Interconnection (OSI) Model.

FIG. 4A illustrates conceptually the user value chain as it exists today.

FIG. 4B illustrates one embodiment of the present invention.

FIG. 5A illustrates a user accessing a Web server including one embodiment of the present invention.

FIG. 5B illustrates the exchange component according to one embodiment of the present invention.

FIG. 5C illustrates an example of a point-of-service (POSvc) application list.

FIG. 5D illustrates a user selecting a bank POSvc application from the POSvc application list.

FIG. 5E illustrates a three-way transaction according to one embodiment of the present invention.

FIG. 6A illustrates a value-added network (VAN) switch.

FIG. 6B illustrates the hierarchical addressing tree structure of the networked objects in DOLSIBs.

FIG. 7 illustrates conceptually the layered architecture of a VAN switch.

FIG. 8 is a flow diagram illustrating one embodiment of the present invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

The present invention relates to a method and apparatus for configurable value-added network switching and object routing and management. "Web browser" as used in the context of the present specification includes conventional Web browsers such as NCSA Mosaic™ from NCSA and Netscape Mosaic™ from Netscape™. The present invention is independent of the Web browser being utilized and the user can use any Web browser, without modifications to the Web browser. In the following detailed description, numerous specific details are set forth in order to provide a thorough understanding of the present invention. It will be apparent to one of ordinary skill in the art, however, that these specific details need not be used to practice the present invention. In other instances, well-known structures, interfaces and processes have not been shown in detail in order not to unnecessarily obscure the present invention.

FIG. 2 illustrates a typical computer system 200 in which the present invention operates. The preferred embodiment of the present invention is implemented on an IBM™ Personal Computer manufactured by IBM Corporation of Armonk,

4

N.Y. Alternate embodiments may be implemented on a Macintosh™ computer manufactured by Apple™ Computer, Incorporated of Cupertino, Calif. It will be apparent to those of ordinary skill in the art that other alternative computer system architectures may also be employed.

In general, such computer systems as illustrated by FIG. 2 comprise a bus 201 for communicating information, a processor 202 coupled with the bus 201 for processing information, main memory 203 coupled with the bus 201 for storing information and instructions for the processor 202, a read-only memory 204 coupled with the bus 201 for storing static information and instructions for the processor 202, a display device 205 coupled with the bus 201 for displaying information for a computer user, an input device 206 coupled with the bus 201 for communicating information and command selections to the processor 202, and a mass storage device 207, such as a magnetic disk and associated disk drive, coupled with the bus 201 for storing information and instructions. A data storage medium 208 containing digital information is configured to operate with mass storage device 207 to allow processor 202 access to the digital information on data storage medium 208 via bus 201.

Processor 202 may be any of a wide variety of general purpose processors or microprocessors such as the Pentium™ microprocessor manufactured by Intel™ Corporation or the Motorola™ 68040 or Power PC™ brand microprocessor manufactured by Motorola™ Corporation. It will be apparent to those of ordinary skill in the art, however, that other varieties of processors may also be used in a particular computer system. Display device 205 may be a liquid crystal device, cathode ray tube (CRT), or other suitable display device. Mass storage device 207 may be a conventional hard disk drive, floppy disk drive, CD-ROM drive, or other magnetic or optical data storage device for reading and writing information stored on a hard disk, a floppy disk, a CD-ROM, a magnetic tape, or other magnetic or optical data storage medium. Data storage medium 208 may be a hard disk, a floppy disk, a CD-ROM, a magnetic tape, or other magnetic or optical data storage medium.

In general, processor 202 retrieves processing instructions and data from a data storage medium 208 using mass storage device 207 and downloads this information into random access memory 203 for execution. Processor 202, then executes an instruction stream from random access memory 203 or read-only memory 204. Command selections and information input at input device 206 are used to direct the flow of instructions executed by processor 202. Equivalent input device 206 may also be a pointing device such as a conventional mouse or trackball device. The results of this processing execution are then displayed on display device 205.

The preferred embodiment of the present invention is implemented as a software module, which may be executed on a computer system such as computer system 200 in a conventional manner. Using well known techniques, the application software of the preferred embodiment is stored on data storage medium 208 and subsequently loaded into and executed within computer system 200. Once initiated, the software of the preferred embodiment operates in the manner described below.

FIG. 3 illustrates the Open Systems Interconnection (OSI) reference model. OSI Model 300 is an international standard that provides a common basis for the coordination of standards development, for the purpose of systems interconnection. The present invention is implemented to function as a routing switch within the "application layer" of the OSI model. The model defines seven layers, with each layer com-

US 8,271,339 B2

5

communicating with its peer layer in another node through the use of a protocol. Physical layer 301 is the lowest layer, with responsibility to transmit unstructured bits across a link. Data link layer 302 is the next layer above physical layer 301. Data link layer 302 transmits chunks across the link and deals with problems like checksumming to detect data corruption, orderly coordination of the use of shared media and addressing when multiple systems are reachable. Network bridges operate within data link layer 302.

Network layer 303 enables any pair of systems in the network to communicate with each other. Network layer 303 contains hardware units such as routers, that handle routing, packet fragmentation and reassembly of packets. Transport layer 304 establishes a reliable communication stream between a pair of systems, dealing with errors such as lost packets, duplicate packets, packet reordering and fragmentation. Session layer 305 offers services above the simple communication stream provided by transport layer 304. These services include dialog control and chaining. Presentation layer 306 provides a means by which OSI compliant applications can agree on representations for data. Finally, application layer 307 includes services such as file transfer, access and management services (FTAM), electronic mail and virtual terminal (VT) services. Application layer 307 provides a means for application programs to access the OSI environment. As described above, the present invention is implemented to function as a routing switch in application layer 307. Application layer routing creates an open channel for the management, and the selective flow of data from remote databases on a network.

A. Overview

FIG. 4A illustrates conceptually the user value chain as it exists today. The user value chain in FIG. 4A depicts the types of transactions that are performed today, and the channels through which the transactions are performed. A "transaction" for the purposes of the present invention includes any type of commercial or other type of interaction that a user may want to perform. Examples of transactions include a deposit into a bank account, a request for a loan from a bank, a purchase of a car from a car dealership or a purchase of a car with financing from a bank. A large variety of other transactions are also possible.

A typical user transaction today may involve user 100 walking into a bank or driving up to a teller machine, and interacting with a live bank teller, or automated teller machine (ATM) software applications. Alternatively, user 100 can perform the same transaction by using a personal computer (PC), activating application software on his PC to access his bank account, and dialing into the bank via a modem line. If user 100 is a Web user, however, there is no current mechanism for performing a robust, real-time transaction with the bank, as illustrated in FIG. 4A. CGI scripts provide only limited two-way capabilities, as described above. Thus, due to this lack of a robust mechanism by which real-time Web transactions can be performed, the bank is unable to be a true "Web merchant," namely a merchant capable of providing complete transactional services on the Web.

According to one embodiment of the present invention, as illustrated in FIG. 4B, each merchant that desires to be a Web merchant can provide real-time transactional capabilities to users who desire to access the merchants' services via the Web. This embodiment includes a service network running on top of a facilities network, namely the Internet, the Web or e-mail networks. For the purposes of this application, users are described as utilizing PC's to access the Web via Web server "switching" sites. (Switching is described in more detail below). Users may also utilize other personal devices

6

such as network computers or cellular devices to access the merchants' services via appropriate switching sites. These switching sites include non-Web network computer sites and cellular provider sites. Five components interact to provide this service network functionality, namely an exchange, an operator agent, a management agent, a management manager and a graphical user interface. All five components are described in more detail below.

As illustrated in FIG. 5A, user 100 accesses Web server 104. Having accessed Web server 104, user 100 can decide that he desires to perform real-time transactions. When Web server 104 receives user 100's indication that he desires to perform real-time transactions, the request is handed over to an exchange component. Thus, from Web page 105, for example, user 100 can select button 500, entitled "Transactions" and Web server 104 hands user 100's request over to the exchange component. The button and the title can be replaced by any mechanism that can instruct a Web server to hand over the consumer's request to the exchange component.

FIG. 5B illustrates exchange 501. Exchange 501 comprises Web page 505 and point-of-service (POSvc) applications 510. Exchange 501 also conceptually includes a switching component and an object routing component (described in more detail below). POSvc applications 510 are transactional applications, namely applications that are designed to incorporate and take advantage of the capabilities provided by the present invention. Although exchange 501 is depicted as residing on Web server 104, the exchange can also reside on a separate computer system that resides on the Internet and has an Internet address. Exchange 501 may also include operator agent 503 that interacts with a management manager (described in more detail below). Exchange 501 creates and allows for the management (or distributed control) of a service network, operating within the boundaries of an IP-based facilities network. Thus, exchange 501 and a management agent component, described in more detail below, under the headings "VAN Switch and Object Routing," together perform the switching, object routing, application and service management functions according to one embodiment of the present invention.

Exchange 501 processes the consumer's request and displays an exchange Web page 505 that includes a list of POSvc applications 510 accessible by exchange 501. A POSvc application is an application that can execute the type of transaction that the user may be interested in performing. The POSvc list is displayed via the graphical user interface component. One embodiment of the present invention supports HyperText Markup Language as the graphical user interface component. Virtual Reality Markup Language and Java™ are also supported by this embodiment. A variety of other graphical user interface standards can also be utilized to implement the graphical user interface.

An example of a POSvc application list is illustrated in FIG. 5C. User 100 can thus select from POSvc applications Bank 510(1), Car Dealer 510(2) or Pizzeria 510(3). Numerous other POSvc applications can also be included in this selection. If user 100 desires to perform a number of banking transactions, and selects the Bank application, a Bank POSvc application will be activated and presented to user 100, as illustrated in FIG. 5D. For the purposes of illustration, exchange 501 in FIG. 5D is shown as running on a different computer system (Web server 104) from the computer systems of the Web merchants running POSvc applications (computer system 200). Exchange 501 may, however, also be on the same computer system as one or more of the computer systems of the Web merchants.

US 8,271,339 B2

7

Once Bank POSvc application 510 has been activated, user 100 will be able to connect to Bank services and utilize the application to perform banking transactions, thus accessing data from a host or data repository 575 in the Bank "Back Office." The Bank Back Office comprises legacy databases and other data repositories that are utilized by the Bank to store its data. This connection between user 100 and Bank services is managed by exchange 501. As illustrated in FIG. 5D, once the connection is made between Bank POSvc application 510(1), for example, and Bank services, an operator agent on Web server 104 may be activated to ensure the availability of distributed functions and capabilities.

Each Web merchant may choose the types of services that it would like to offer its clients. In this example, if Bank decided to include in their POSvc application access to checking and savings accounts, user 100 will be able to perform real-time transactions against his checking and savings accounts. Thus, if user 100 moves \$500 from his checking account into his savings account, the transaction will be performed in real-time, in the same manner the transaction would have been performed by a live teller at the bank or an ATM machine. Therefore, unlike his prior access to his account, user 100 now has the capability to do more than browse his bank account. The ability to perform these types of robust, real-time transactions from a Web client is a significant aspect of the present invention.

Bank can also decide to provide other types of services in POSvc application 510(1). For example, Bank may agree with Car dealership to allow Bank customers to purchase a car from that dealer, request a car loan from Bank, and have the entire transaction performed on the Web, as illustrated in FIG. 5E. In this instance, the transactions are not merely two-way, between the user and Bank, but three-way, amongst the consumer, Bank and Car dealership. According to one aspect of the present invention, this three-way transaction can be expanded to n-way transactions, where n represents a predetermined number of merchants or other service providers who have agreed to cooperate to provide services to users. The present invention therefore allows for "any-to-any" communication and transactions on the Web, thus facilitating a large, flexible variety of robust, real-time transactions on the Web.

Finally, Bank may also decide to provide intra-merchant or intra-bank services, together with the inter-merchant services described above. For example, if Bank creates a POSvc application for use by the Bank Payroll department, Bank may provide its own employees with a means for submitting timecards for payroll processing by the Bank's Human Resources (HR) Department. An employee selects the Bank IIR POSvc application, and submits his timecard. The employee's timecard is processed by accessing the employee's payroll information, stored in the Bank's Back Office. The transaction is thus processed in real-time, and the employee receives his paycheck immediately.

B. Van Switching and Object Routing

As described above, exchange 501 and management agent 601, illustrated in FIG. 6A, together constitute a value-added network (VAN) switch. These two elements may take on different roles as necessary, including peer-to-peer, client-server or master-slave roles. Management manager 603 is illustrated as residing on a separate computer system on the Internet. Management manager 603 can, however, also reside on the same machine as exchange 501. Management manager 603 interacts with the operator agent 503 residing on exchange 501.

VAN switch 520 provides multi-protocol object routing, depending upon the specific VAN services chosen. This multi-protocol object routing is provided via a proprietary

8

protocol, TransWeb™ Management Protocol (TMP). TMP incorporates the same security features as the traditional Simple Network Management Protocol, SNMP. It also allows for the integration of other traditional security mechanisms, including RSA security mechanisms.

One embodiment of the present invention utilizes TMP and distributed on-line service information bases (DOLSIBs) to perform object routing. Alternatively, TMP can incorporate s-HTTP, Java™, the WinSock API or ORB with DOLSIBs to perform object routing. DOLSIBs are virtual information stores optimized for networking. All information entries and attributes in a DOLSIB virtual information store are associated with a networked object identity. The networked object identity identifies the information entries and attributes in the DOLSIB as individual networked objects, and each networked object is assigned an Internet address. The Internet address is assigned based on the IP address of the node at which the networked object resides.

For example, in FIG. 5A, Web server 104 is a node on the Internet, with an IP address. All networked object associated with Web server 104 will therefore be assigned an Internet address based on the Web server 104's IP address. These networked objects thus "branch" from the node, creating a hierarchical tree structure. The Internet address for each networked object in the tree essentially establishes the individual object as an "IP-reachable" or accessible node on the Internet. TMP utilizes this Internet address to uniquely identify and access the object from the DOLSIB. FIG. 6B illustrates an example of this hierarchical addressing tree structure.

Each object in the DOLSIB has a name, a syntax and an encoding. The name is an administratively assigned object ID specifying an object type. The object type together with the object instance serves to uniquely identify a specific instantiation of the object. For example, if object 610 is information about models of cars, then one instance of that object would provide user 100 with information about a specific model of the car while another instance would provide information about a different model of the car. The syntax of an object type defines the abstract data structure corresponding to that object type. Encoding of objects defines how the object is represented by the object type syntax while being transmitted over the network.

C. Management and Administration

As described above, exchange 501 and management agent 601 together constitute a VAN switch. FIG. 7 illustrates conceptually the layered architecture of VAN switch 520. Specifically, boundary service 701 provides the interfaces between VAN switch 520, the Internet and the Web, and multi-media end user devices such as PCs, televisions or telephones. Boundary service 701 also provides the interface to the on-line service provider. A user can connect to a local application, namely one accessible via a local VAN switch, or be routed or "switched" to an application accessible via a remote VAN switch.

Switching service 702 is an OSI application layer switch. Switching service 702 thus represents the core of the VAN switch. It performs a number of tasks including the routing of user connections to remote VAN switches, described in the paragraph above, multiplexing and prioritization of requests, and flow control. Switching service 702 also facilitates open systems' connectivity with both the Internet (a public switched network) and private networks including back office networks, such as banking networks. Interconnected application layer switches form the application network backbone. These switches are one significant aspect of the present invention.

US 8,271,339 B2

9

Management service 703 contains tools such as Information Management Services (IMS) and application Network Management Services (NMS). These tools are used by the end users to manage network resources, including VAN switches. Management service 703 also provides applications that perform Operations, Administration, Maintenance & Provisioning (OAM&P) functions. These OAM&P functions include security management, fault management, configuration management, performance management and billing management. Providing OAM&P functions for applications in this manner is another significant aspect of the present invention.

Finally, application service 704 contains application programs that deliver customer services. Application service 704 includes POSvc applications such as Bank POSvc described above, and illustrated in FIG. 6A. Other examples of VAN services include multi-media messaging, archival/retrieval management, directory services, data staging, conferencing, financial services, home banking, risk management and a variety of other vertical services. Each VAN service is designed to meet a particular set of requirements related to performance, reliability, maintenance and ability to handle expected traffic volume. Depending on the type of service, the characteristics of the network elements will differ. VAN service 704 provides a number of functions including communications services for both management and end users of the network and control for the user over the user's environment.

FIG. 8 is a flow diagram illustrating one embodiment of the present invention. A user connects to a Web server running an exchange component in step 802. In step 804, the user issues a request for a transactional application, and the web server hands off the request to an exchange in step 806. The exchange activates a graphical user interface to present user with a list of POSvc application options in step 808. In step 810, the user makes a selection from the POSvc application list. In step 812, the switching component in the exchange switches the user to the selected POSvc application, and in step 814, the object routing component executes the user's request. Data is retrieved from the appropriate data repository via TMP in step 816, and finally, the user may optionally continue the transaction in step 818 or end the transaction.

Thus, a configurable value-added network switching and object routing method and apparatus is disclosed. These specific arrangements and methods described herein are merely illustrative of the principles of the present invention. Numerous modifications in form and detail may be made by those of ordinary skill in the art without departing from the scope of the present invention. Although this invention has been shown in relation to a particular preferred embodiment, it should not be considered so limited. Rather, the present invention is limited only by the scope of the appended claims.

The invention claimed is:

1. A computer-implemented method for delivering Point-of-Service applications to a multi-media device over the World Wide Web, said method comprising:

providing a Web server in communication with a Web merchant's on-line Web application and a database; communicating a Web page for display on a multi-media device, where the Web page comprises a graphical user interface configured to generate a list of multiple Point-of-Service applications which may be accessed by the user over the Web and to accept user input; allowing the user to select an on-line Point-of-Service application displayed on the Web page on the multi-media device;

instructing a Web server to hand over a request by the user to access the Web merchant's on-line service Web appli-

10

cation available through the Point-of-Service application, said Web merchant's on-line service Web application available over the Web and in communication with the Web merchant's database;

maintaining an open connection over the Web until the user's transaction with the on-line Web application is complete;

delivering said particular Point-of-Service application in real-time to the multi-media device across a service network over the Web; and

performing a real-time non-deferred bidirectional Web transaction requested by the user.

2. The computer-implemented method of claim 1, wherein said request is handed over to an exchange from the Web application.

3. The computer-implemented method of claim 1, wherein the Point of Service application connects to the on-line service in real-time to provide inter-merchant services or intra-merchant services over the Web.

4. The computer-implemented method of claim 1, wherein said Point-of-Service application allows a user to buy or sell over the Web.

5. The computer-implemented method of claim 1, wherein said Point-of-Service application is a banking application that operates to connect to a financial institution over the Web.

6. The computer-implemented method of claim 1, wherein said Point-of-Service application is available for playing or billing over the Web.

7. A system for delivering Point-of-Service applications to a multi-media device over the World Wide Web, said system comprising:

a server comprising memory and a processor which comprise program instructions executable by the processor to implement Web application transactions over the application layer of the OSI model;

a Web server programmed to deliver a Web page displaying multiple Point-of-Service applications on a multi-media device for access by a user, where the Point-of-Service applications may be selected by the user to provide access to a Web Merchant's on line services, and providing for two-way communication between a Web Merchant's on-line Web application and the user;

instructions for the Web server to hand over the user's request to access a Point-of-Service application and to mediate the interactions between the user and the interface of the Web Merchant's on line service during at least one real-time transaction being through a graphical user interface displayed on the Web page on the user's multi-media device;

component connecting the Point of Service application on the web page to the on-line Web merchant's service over the Web with instructions for allowing the user to bidirectionally retrieve data stored on Web merchant's database and for writing data to the database in real-time, so that user and Web merchant can perform a non-deferred transaction.

8. The system for delivering Point-of-Service applications to a multi-media device over the World Wide Web of claim 7, wherein said request is handed over to an exchange component from a Web application.

9. The system for delivering Point-of-Service applications to a multi-media device over the World Wide Web of claim 7, wherein the Point of Service application connects to the on line service to provide inter-merchant services or intra-merchant services over the Web.

10. The system for delivering Point-of-Service applications to a multi-media device over the World Wide Web of

US 8,271,339 B2

11

claim 7, wherein said Point-of-Service application allows a user to complete a purchasing transaction in real-time over the Web.

11. The system for delivering Point-of-Service applications to a multi-media device over the World Wide Web of claim 7, wherein said Point-of-Service application is a banking application that operates to connect to a financial institution over the Web.

12. A Web application on line service network portal offered by a Web merchant, delivering Web applications to a multi-media device, said portal comprising a non-transitory computer storage device having stored thereon executable instructions that, when executed by one or more processors of a computer system, implement a method for:

delivering a Point-of-Service application interface on a Web page by the Web merchant to expose to an online services offered by the Web merchant as a Web application, said Web application including at least one object comprising information entries and attributes, wherein the object exposes one or more objects of a line of Web applications to the user;

providing said Point-of-Service application interface to allow a user to access the Web application from the Web

12

application on-line service network portal offered by the Web merchant, delivering Web applications to the multi-media device;

connecting to the Web application on-line service, allowing the Web application on-line service client user access to the Web application on-line service; and maintaining the connection open until the Web application on-line service client user's real-time Web transaction with the Web application on-line service is complete so that the user may perform a real-time, non-deferred, bidirectional transaction on the Web.

13. The switching component of the web application service network portal offered by the Web merchant, delivering Web applications to a multi-media device of claim 12, wherein said switching component comprises a routing switch within the application layer of the OSI model to perform application layer routing.

14. The web application service network portal of claim 12, wherein said instructions include a handoff message from the Web server when the Web service client user requests said particular Web application to be accessed.

* * * * *